X-UF

High-Performance 32-Channel USB/FireWire Expansion Card for X32

- 32-channel, bi-directional audio interface via USB 2.0 and FireWire
- Simultaneous 32-in, 32-out audio interface for studio and live recording
- High-speed 24-bit signal transmission for ultimate signal integrity
- Seamless connection with any DAW software allows to run "virtual sound checks"
- Allows employing your PC for "Plug-Ins" and outboard effects processing
- Ultra-low latency ASIO drivers for Windows PC available, compatible to CoreAudio on Mac OS
- Enables HUI/Mackie Control* emulation for remote control of any compatible DAW software
- 3-Year Warranty Program*
- Conceived and designed by BEHRINGER Germany



Expand your X32 mixer's recording capability with the 32-channel X-UF audio interface expansion card. Multitrack record live or studio performances straight to your computer over FireWire or optimized USB 2.0. The 24-bit bi-directional signal flow and advanced driver support ensure your results sound their best going in and coming out of your computer. Run "virtual sound checks"



by playing back audio tracks from your computer through an X32 mixer equipped with the X-UF expansion card.



You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Group factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous 3-Year Warranty program.





X-UF

High-Performance 32-Channel USB/FireWire Expansion Card for X32







X-UF

High-Performance 32-Channel USB/FireWire Expansion Card for X32





Europe MUSIC Group Services UK Tel: +44 156 273 2290 Email: CARE@music-group.com USA/Canada MUSIC Group Services NV Inc. Tel: +1702 800 8290 Email: CARE@music-group.com Japan MUSIC Group Services JP K.K. Tel.: +81 3 6231 0454 Email: CARE@music-group.com

